Li'l Angels Furniture
2673 Steeles Avenue West
Toronto, ON M3J 2Z8
lilangels@bellnet.ca

Christina



Always ensure a safe environment for the child. Check that every component is properly secured and in place, before placing the child in the crib.
The crib has an adjustable spring, which serves as mattress support. For the convenience of the mother when the baby is very small, the spring may be used in the highest position.
IMPORTANT: With the spring and mattress in this highest position, be absolutely sure the top of the footboard is at least 3 inches (7.6 cm), higher than the top surface of the mattress. If it is not, lower the spring and mattress to the next highest position and check again.
When your child is beginning to push up on hands and knees or it is 5 months of age, whichever occurs earliest, remove all toys which are strung across crib area. These toys cause **STRANGULATION** !
When child is able to pull to standing position, set mattress to lowest position and remove bumper pads large toys and other objects that could serve as steps for climbing out.
When the child is able to climb out or reaches the height of 35 inches (90 centimeters), the crib should no longer be used. The child should then be placed in a youth or regular bed.
Strings can cause strangulation ! Do not place items with a string around childs neck, such as hood strings pacifier cords. Do not suspend strings over crib or attach strings to toys.
Any mattress used in this crib must be at least 27-1/4 inches (69 centimetres), by 51-5/8 inches /131 centimetres), with a thickness not exceeding *6* inches (15 centimetres). The dimension of the mattress shall be taken from seam to seam or edge to edge where appropriate.
Never use plastic shipping bags or plastic film as mattress covers because they can cause suffocation.
Do not place crib near window where cords from blinds or drapers may strangle a child.

MISE EN GARDE

NE PAS UTILISER LE LIT D'ENFANT A MOINS D'ETRE EN MESURE DE RESPECTER RIGOUREUSEMENT LE MODE D'EMPLOI CI-JOINT OU APPOSE SUR LE PRODUIT. NE PAS UTILISER LELIT D'ENFANT SI L'ENFANT EST CAPABLE D'EN SORTIR SANS AIDE OU SI L'ENFANT MESURE PLUS DE 90 CM. NE PAS METTRE DANS LE LIT OU A PROXIMITE DU LIT DES CORDES, COURROIES OU OBJETS SEMBLABLES QUI POURRAIENT S'ENROULER AUTOUR DU COU DE L'ENFANT. S'ASSURER QUE LES COTES SONT BIEN ENCLENCHES OU VERROUILLES EN POSITION POUR Y LAISSER UN ENFANT SANS SURVEILLANCE LORSQUE L'ENFANT EST PLACE DANS DE LIT. L'EPAISSEUR DU MATELAS UTILISE DANS LELIT NE DOIT PAS ETRE SUPERIEURE A 15 CM, ET SA LONGUEUR ET LARGEUR DOIVENT ETRE TELLES QUE L'ESPACE ENTRE LE MATELAS ET LES COTES DU LIT NE SOIT PAS SUPERIEURE A 3 CM LORSQUE LE MATELAS EST POUSSE DANS UN DES COINS.
UNE MISE EN GARDE PRECISANT QUE LES PARENTS DOIVENT ASSURER LA SECURITE DE L'ENFANT EN VERIFIANT DE TEMPS A AUTRE, AVANT DE METTRE L'ENFANT DANS LE PRODUIT, SI TOUTES LES PIECES SONT SOLIDEMENT A LEUR PLACE

WARNING

DO NOT USE THIS CRIB IF THE ENCLOSED OR ATTACHED INSTRUCTIONS CANNOT BE STRICTLY ADHERED TO. DO NOT USE THIS CRIB IF THE CHILD IS ABLE TO CLIMB OUT UNAIDED OR IS TALLER THAN 90 CM. DO NOT PLACE CORDS, STRAPS OR SIMILAR ITEMS WHICH COULD BECOME WOUND AROUND THE CHILD'S NECK IN OR NEAR CRIB. ENSURE THAT THE SIDES ARE PROPERLY LATCHED OR LOCKED IN PLACE WHEN THE CRIB IS OCCUPIED. THE MATTRESS USED WITH THIS CRIB SHOULD NOT BE MORE THAN 15 CM THICK AND SHOULD BE OF SUCH LENGHT AND WIDTH THAT THE GAP BETWEEN THE MATTRESS AND THE SIDES OF THE CRIB IS NOT MORE THAN 3 CM WHEN THE MATTRESS IS PUSHED INTO ONE CORNER OF THE CRIB.
A WARNING STATING THAT PARENTS SHOULD ENSURE A SAFE ENVIRONMENT FOR THE CHILD IN THE PRODUCT, THAT EVERY COMPONENT IS PROPERLY AND SECURELY IN PLACE.
FAILURE TO FOLLOW THESE WARNING AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY AND DEATH.

PARTS LIST


Ⓐ x 10 M6 x 75 mm
Ⓑ x 4 M6 x 60 mm
Ⓒ x 4 M6 x 30 mm
Ⓓ x 4 M6 x 15 mm
Ⓔ x 12 10 x 40 mm
Allen key


HEADBOARD
FOOTBOARD FRAME
RIGHT & LEFT POST(2)


YOUTH RAIL (1)
BASE MOULDING(1)
TODDLER GUARD RAIL(1)
RIGHT CRIB END (1)
LEFT CRIB END (1)
BED SIDE RAILS (2)
(Not included with crib)
CRIB SPRING (1)
BED SLATS (9)
(Not included with crib)

ASSEMBLING AND OPERATING YOUR CRIB

NOTE: Read all instructions before assembling crib. KEEP INSTRUCTIONS FOR FUTURE REFERENCE.

Step 1: Attach Left and Right Crib Ends to Crib Spring:
Select four D bolts .Apply bolts thru the 4 upright brackets of the spring. Using Allen wrench, tighten bolts into the inserts located on the inside of the End Frames. Attach the spring to the upper inserts for new born baby where spring is in highest position.



Step 2: Assemble Footboard then Assemble Crib.
Use four "A" bolts and four E dowels to attach footboard frame and base moulding to left and right posts. Tighten snugly with Allen wrench. To attach the spring assembly to the footboard, use four B bolts thru the holes in the end uprights and tighten snugly into the inserts. To attach the spring assembly to the headboard, use four A bolts.



To CONVERT to Day bed with spring in lowest position:
Remove front frame from front posts. Keep base moulding in same position. Attach Guard Rail Youth Rail with four(4) C bolts. Select guard rail for left or right position (your decision). Once Guard Rail is attached to Youth Rail bolt this assembly to the inserts on the bottom of the front posts with two (2) A bolts and 4 E dowels .
Notes: The front two brackets of the spring may need to be dropped down in a temporary out of way position by removing the spring bolts. Reconnect the spring once the Youth/Guard Tail is in position.